

## Screening

PI or delegate identifies  
potential participant



Obtain ICF  
(patient, witness or LAR)

## Eligibility

- (i) **Hospitalised (planned overnight stay) and aged  $\geq 18$  years old**
- (ii) **Pneumonia syndrome** (*criteria below are a guide only - diagnosis is based on clinical opinion of the managing doctor*)
  - a) typical symptoms of a new respiratory infection; AND
  - b) objective evidence of acute lung disease (e.g. X-ray/CT, hypoxia, compatible clin. examination); AND
  - c) alternative causes are unlikely or excluded (e.g. heart failure)
- (iii) **No medical history that might put patient at significant risk if participating in the trial**
- (iv) **Clinician does not believe a specific trial treatment is indicated or contra-indicated**
- (v) **One of the following diagnoses:**

### Confirmed influenza A or B

Patients can enter all three comparisons if eligible

OR

### CAP with planned antibiotic treatment

(**without** suspected SARS-CoV-2, influenza, active pulmonary tuberculosis or *Pneumocystis jirovecii pneumonia*)

Open to all patients  
weighing  $\geq 40$ kg  
except if pregnant  
or breastfeeding

Open  
to all  
patients

Open for patients:  
1) with hypoxia (on O2 or Sats  $<92\%$ )  
2) without suspected SARS-CoV-2

**Baloxavir OR  
usual care *without*  
baloxavir**

**Oseltamivir OR  
usual care *without*  
neuraminidase  
inhibitor**

**Dexamethasone (6 mg  
daily)<sup>†</sup> OR usual care  
*without* systemic  
corticosteroids**

**Dexamethasone (6 mg  
daily)<sup>†</sup> OR usual care  
*without* systemic  
corticosteroids**

<sup>†</sup>prednisolone/hydrocortisone in case of pregnancy/breastfeeding

Refer to Intervention Sheets for detailed treatment and dosing guide, available at [www.recoverytrial.net/eu](http://www.recoverytrial.net/eu)

Not all treatment comparisons may be open at your site – check with the study team



# RECOVERY

## Randomization / Baseline data

- 1) Log-in via online randomization system: ( [link via country page at www.recoverytrial.net/eu](#) )
- 2) Complete the randomization form after consent has been taken
- 3) Patient ID will be automatically created in Open Clinica

## eCRF (Open Clinica)

- Open Clinica: ([link via your country's 'Follow-up' page](#))
- 1) Fill out the follow-up forms:
    - First follow-up due at the soonest of discharge, death or study day 28
    - Second follow-up form due at 6 months
  - 2) Query management: Respond to open queries.

## Safety

- Report only SAEs considered **related** to study treatment are reportable (i.e. SSARs)
- 1) Report SSARs to Oxford University (via [recoverytrial@ndph.ox.ac.uk](mailto:recoverytrial@ndph.ox.ac.uk) or +44 800 1385451) and to your local CRA(s) **within 24 hours** of becoming aware of the event
  - 2) Complete an SAE form in OpenClinica with the initial details you have