

Water for Injections BP, solvent for parenteral use

Summary of Product Characteristics Updated 26-Oct-2023 | B.Braun Medical

1. Name of the medicinal product
2. Qualitative and quantitative composition
3. Pharmaceutical form
4. Clinical particulars
 - 4.1 Therapeutic indications
 - 4.2 Posology and method of administration
 - 4.3 Contraindications
 - 4.4 Special warnings and precautions for use
 - 4.5 Interaction with other medicinal products and other forms of interaction
 - 4.6 Fertility, pregnancy and lactation
 - 4.7 Effects on ability to drive and use machines
 - 4.8 Undesirable effects
 - 4.9 Overdose
5. Pharmacological properties
 - 5.1 Pharmacodynamic properties
 - 5.2 Pharmacokinetic properties
 - 5.3 Preclinical safety data
6. Pharmaceutical particulars
 - 6.1 List of excipients
 - 6.2 Incompatibilities
 - 6.3 Shelf life
 - 6.4 Special precautions for storage
 - 6.5 Nature and contents of container
 - 6.6 Special precautions for disposal and other handling
7. Marketing authorisation holder
8. Marketing authorisation number(s)
9. Date of first authorisation/renewal of the authorisation
10. Date of revision of the text

1. Name of the medicinal product

Water for Injections BP, solvent for parenteral use

2. Qualitative and quantitative composition

100 ml of solvent contain:

Water for injections 100 ml

3. Pharmaceutical form

Solvent for parenteral use

Clear, colourless solution

4. Clinical particulars

4.1 Therapeutic indications

Preparation and dilution of parenteral preparations

4.2 Posology and method of administration

Posology

Water for Injection BP is used for dilution or dissolution of parenteral medicinal products. Dosage and duration of use depend on the instructions given for the medicinal product to be dissolved or diluted.

Paediatric population

The dosage has to be considered based on the instructions given for the medicinal product to be dissolved or diluted.

Method of administration

The method of administration depends on the instructions given for the medicinal product to be dissolved/diluted. The medicinal products should be reconstituted or diluted immediately before use.

4.3 Contraindications

There are no contraindications for water for injections as such.

4.4 Special warnings and precautions for use

Water for Injections BP must not be used alone for intravenous administration.

4.5 Interaction with other medicinal products and other forms of interaction

Interactions between water for injections and other medicinal products are not known.

4.6 Fertility, pregnancy and lactation

Pregnancy

Generally, water for injections can be used during pregnancy.

Breast-feeding

Water for injections can be used during breast-feeding.

Fertility

No data available.

4.7 Effects on ability to drive and use machines

Water for Injections BP has no influence on the ability to drive and use machines.

4.8 Undesirable effects

None known if used according to the instructions given.

Reporting of suspected adverse reactions

Reporting suspected adverse reactions after authorisation of the medicinal product is important. It allows continued monitoring of the benefit/risk balance of the medicinal product. Healthcare professionals are asked to report any suspected adverse reactions via Yellow Card Scheme Website: www.mhra.gov.uk/yellowcard or search for MHRA Yellow Card in the Google Play or Apple App Store.

4.9 Overdose

Symptoms and treatment

Not applicable because this medicinal product is only for preparation and dilution of parenteral preparations.

5. Pharmacological properties

5.1 Pharmacodynamic properties

Pharmacotherapeutic group: Solvents and diluting agents, incl. irrigating solutions

ATC code: V07AB

5.2 Pharmacokinetic properties

None

5.3 Preclinical safety data

Non-clinical data on water for injection reveal no special hazard for humans.

Studies of toxicity to reproduction, genotoxicity or carcinogenic potential have not been performed, but based on the chemical properties of water and the fact that water is essential to life, pure water would not be expected to generate positive mutagenic or carcinogenic data.

6. Pharmaceutical particulars

6.1 List of excipients

None

6.2 Incompatibilities

Not applicable

6.3 Shelf life

Unopened

Polyethylene containers	36 months
Polyethylene ampoules: 5 ml, 10 ml, 30 ml	30 months
Polypropylene ampoules: 10 ml, 20 ml	36 months

After first opening

Not applicable. See section 6.6.

After admixture of additives

From a microbiological point of view, the product should be used immediately. If not used immediately, in-use storage times and conditions prior to use are the responsibility of the user and would normally not be longer than 24 hours at 2 to 8 °C, unless dilution has taken place in controlled and validated aseptic conditions.

6.4 Special precautions for storage

Product in plastic ampoules: Do not store above 25 °C.

Product in polyethylene containers: This medicinal product does not require any special storage conditions.

For storage conditions of ready-to-use preparations see section 6.3.

6.5 Nature and contents of container

- Bottles of low-density polyethylene (LD-PE),

contents: 50 ml, 100 ml, 250 ml, 500 ml, 1000 ml

pack sizes: 20 x 50 ml, 10 x 100 ml, 20 x 100 ml, 10 x 250 ml, 20 x 250 ml, 10 x 500 ml, 10 x 1000 ml

- Polyethylene ampoules,

contents: 5 ml, 10 ml, 20 ml

pack sizes: 20 x 5 ml, 20 x 10 ml, 20 x 20 ml, 100 x 5 ml, 100 x 10 ml, 100 x 20 ml

- Polypropylene ampoules,

contents 10 ml, 20 ml

pack sizes: 20 x 10 ml, 20 x 20 ml, 50 x 10 ml, 50 x 20 ml, 100 x 10 ml, 100 x 20 ml

Not all pack sizes may be marketed.

6.6 Special precautions for disposal and other handling

No special requirements for disposal.

Only to be used if solution is clear, colourless and the container and its closure are undamaged.

The containers are for single use only. After use discard container and any remaining contents.

Use the liquid immediately after opening of the container.

7. Marketing authorisation holder

B. Braun Melsungen AG

Carl-Braun-Straße 1

34212 Melsungen, Germany

Postal address:

34209 Melsungen, Germany

Telephone: +49-(0)-5661-71-0

Fax: +49-(0)-5661-71-4567

8. Marketing authorisation number(s)

PL 03551/0077

9. Date of first authorisation/renewal of the authorisation

18/10/2006

10. Date of revision of the text

October 2018

Company Contact Details

B.Braun Medical

Address

Brookdale Road, Thorncliffe Park Estate,
Chapelton, Sheffield, South Yorkshire, S35 2PW

Telephone

0114 225 9000

Medical Information Direct Line

0800 298 0299

Stock Availability

customercare.bbmuk@bbraun.com

WWW

www.bbraun.co.uk/en

E-mail

info.bbmuk@bbraun.com

Medical Information e-mail

medinfo.bbmuk@bbraun.com